













engineering Cairo University, Giza, Egypt, Published Online July 2013, PP.889-896 .

[3] Zafar Ali Khan, Saeed Ahmed, Rab Nawaz, Anzar Mahmood, Sohail Razzaq, "Optimization based Individual and Cooperative DSM in Smart Grids: A Review", Power Generation System and Renewable Energy Technologies (PGSRET), Pakistan, 29 October 2015, PP.1-6.

[4] Maria das Neves Queiroz de Macedo, Joaquim Jorge Martins Galo, Luiz Alberto Luz Almeida, Antonio Cezar Castro Lima, "Opportunities and Challenges of DSM in Smart Grid Environment", The Third International Conference on Smart Grids, Green Communications and IT Energy-aware Technologies, Lisbon, Portugal, 2013, PP.156-160.

[5] M. N. Ullah, N. Javaid, I. Khan, A. Mahmood, M. U. Farooq, "Residential Energy Consumption Controlling Techniques to Enable Autonomous Demand Side Management in Future Smart Grid Communications", Eighth International Conference on Broadband, Compiegne, France, 2013, pp1-6.

[6] A. Abaza, Ahmed M. Azmy, "Demand-side management-based dynamic pricing within smart grid environment", International Conference on Smart Energy Grid Engineering (SEGE), Canada, 2013, pp1-6.

[7] Phani Chavali, Peng Yang and Arye Nehorai, "A Distributed Algorithm of Appliance Scheduling for Home Energy Management System", IEEE Transactions On Smart Grid, Vol. 5, No. 1, January 2014, pp 282 - 290.

[8] Soma Shekara Sreenadh Reddy Depuru; Lingfeng Wang; Vijay Devabhaktuni; Nikhil Gudi, "Smart meters for power grid-challenge, issues, advantages and status", Power Systems Conference and Exposition (PSCE), Phoenix, AZ, USA, 23 May 2011, PP. 1-7.

[9] Zubair. M. Fadlullah, Minh. Q. Duong, Nei Kato, and Ivan Stojmenovic, "A Novel Game-based Demand Side Management Scheme for Smart Grid" IEEE Wireless Communications and Networking Conference (WCNC 2013), Shanghai, China, Apr. 2013, pp 4677 - 4682.

[10] Rovan R. Elrazky, Ahmed A. Daoud, Kamel Elserafi, "Optimization of Residential Load Consumption during Energy Peaks using Smart Metering," In International Conference on Renewable Energies and Power Quality (ICREPQ'17), ISSN 2172-038 X, No.15, Malaga, Spain, April 2017, pp1-6.

[11] IEEE POWER ENGINEERING SOCIETY, IEEE Node Test Feeder.

[12] G. Rietveld, P. Clarkson, P. S. Wright, U. Pogliano, J. Braun, M. Kokalj, R. Lapuh, and N. Zisky, "Measurement Infrastructure for Observing and Controlling Smart Electrical Grids," 2012 3rd IEEE PES International Conference and Exhibition on Innovative Smart Grid Technologies (ISGT Europe), Berlin, Germany, 2012, PP. 1–8.

[13] Xin-She Yang, "A New Metaheuristic Bat-Inspired Algorithm", Nature Inspired Cooperative Strategies for Optimization (NISCO 2010),Berlin, 23 Apr. 2010, PP.65-74.

[14] Xin-She Yang, Amir Hossein Gandomi, " Bat Algorithm: A Novel Approach for Global Engineering Optimization", Mathematics and Scientific Computing, National Physical Lab, Journal reference: Engineering Computations, Vol. 29, 2012, PP. 464-483.

[15] W.H. Kersting, "Radial Distribution Test Feeders", 2001 IEEE Power Engineering Society Winter Meeting. Conference Proceedings (Cat. No.01CH37194), vol.2, Columbus, OH, USA, 07 August 2002 pp. 908 – 912.

[16] Shammya Saha, Nathan Johnson, " Modeling and Simulation in XENDEE IEEE 34 Node Test Feeder", The Journal of Defense Modeling and Simulation, University of Arizona, USA, volume: 14, pp. 1-12, 2016.